

6 Ridge St, North Sydney, NSW 2060 p. +61 2 8458 1300 | e. info@rmkcrew.com.au

rmkcrew.com.au

JOSHUA BAILEY

Equipment Inventory

GIMBAL KIT

Movi Pro

Max Payload: 8kg

- Ignite Battery system 1:30hrs Per set of battery
- Ignite Tilt Offset system
- Duel Operation Control available
- Varies mounting options available

Eartech Wireless Comms

- 1000Ft Line of Sight
- 3 Single Ear
- 1 Duel Ear
- HD Audio
- Open Channel

Freefly movi Controller

- 1300ft Line of Sight
- Pan, tilt and roll control

REadyrig

- Supports weights up to 25KG
- ProArms

Camera Accessories

SmallHD 703 Ultra Bright

Input: 2-SDI, HDMI with Multi View

Output: SDI, HDMI

Display: 7-inch, 1920x1080, 2200nits, Calibrated REC709

SmallHD 702 Bright Input: SDI, HDMI

Output: SDI, HDMI

Display: 7-inch, 1920x1080, 1000nits, Calibrated REC709

SmallHD DP6
Input: SDI, HDMI

Output: SDI

Display: 5.6-inch, 1280x800, 450nits

(Framing Only)

Teradek Bolt 500XT Range: up to 500ft

Quality: 1080p 60fps

Transmitter: Dual input (SDI + HDMI) and SDI loop out on TX

Receiver: HDMI and Dual 3G-SDI outputs on RX

- Professional software features: 3D LUTs, 5GHz spectrum analyser

Tilta Nucleus-M Wireless Follow Focus System

Range: 1000ft / 300 m

- x2 Radios

Motors: Two Transport Hyundai iLoad Van 2010 Magliner Junior Film Cart with Leg Holder UNIT Camera - SDI Cables - Wooden Camera Directors (V-lock) - Slate with Colour Reference - Onset Camera Assistant Kit - v-Lock x2 (180WH & 90WH) Data - Data Kit - 13" MacBook Pro (Touch Bar) - x3 Asus 4k Monitor Grip - C-Stand - Folding Roll Stand - 4x Sand Bags - Camtree Gripper Car Rig (Light Cameras Only) - Black out Sheets - Readyrig Lights - 20" Light Ring (Bi-Colour) - Aputure LS C120T (Tungsten) - Aputure 5" LED (Daylight) - Space light (Compatible with C120) - Soft Box (Compatible with C120) Unit